

THE NEW SHAPE IN COMFORT

398000697 PORT. MILO PLUS – COND. PORT. R290




ARGO MILO PLUS IS THE PORTABLE AIR CONDITIONER WITH VERTICAL CONCEPT, HI-TECH MATERIALS AND ADVANCED TECHNOLOGY. IT HAS AN UNCONVENTIONAL DESIGN ON THE OUTSIDE AND POWER AND CUTTING-EDGE TECHNOLOGY ON THE INSIDE. THANKS TO THE EFFICIENT INTEGRATED HEAT PUMP, IT CREATES YOUR COMFORT ALL YEAR ROUND.



CARATTERISTICHE

- TOP MOTORIZED FLAP WITH WIDE AUTOMATIC SWINGING, ADJUSTABLE ALSO BY REMOTE CONTROL
- DIGITAL CONTROL PANEL AND LED DISPLAY
- MULTIFUNCTIONAL REMOTE CONTROL WITH LED DISPLAY
- DIGITAL PROGRAMMABLE ON/OFF TIMER (24H)
- FUNCTIONS: COOLING, VENTILATION, DEHUMIDIFICATION AND HEATING
- MODE "AUTO": IT AUTOMATICALLY SELECTS THE MODE BASED ON THE SET TEMPERATURE
- "INTELLIGENT-PRE HEATING" FUNCTION: THE AIR IS RELEASED INTO THE ENVIRONMENT WHEN IT IS WARM
- "IFEEL" FUNCTION: GRANTS THE DESIRED TEMPERATURE IN THE EXACT POINT THE REMOTE CONTROL IS PLACES
- "SLEEP" FUNCTION: COMFORT DURING YOUR SLEEPING
- "MEMORY" FUNCTION: AUTO-RESTART AFTER POWER FAILURE, KEEPING LAST SETTINGS
- "X-FAN" FUNCTION: IT PREVENTS THE FORMATION OF MOLD AND BACTERIA
- "AUTO-DIAGNOSIS" FUNCTION, SHOWING ERRORS ON DISPLAY, MAKING IT EASIER TROUBLESHOOTING
- 3 SPEED FAN (LOW, MEDIUM, HIGH) + AUTO
- WASHABLE AIR FILTER, EASY TO REMOVE
- AUTOMATIC VAPORIZATION OF CONDENSATE IN COOLING MODE
- POSSIBILITY OF CONTINUOUS CONDENSATE DISCHARGE IN DEHUMIDIFICATION MODE
- MAXIMUM PORTABILITY, WITH PRACTICAL MULTI-DIRECTIONAL WHEELS AND SIDE HANDLES



ARGOCLIMA S.P.A.

SEDE LEGALE, VIA ALFENO VARO, 35 – 25020 ALFIANELLO (BS) – ITALY – TEL: +39 0331755111 – FAX: +39 0331755501
CAP. SOCIALE: 13.416.000 EURO I.V. – P. IVA N. 03258640964 – COD.IDENT.INTRACOM ITO3258640964 – R.E.A. BS-520586
ECOPED 060401 – RIDOMUS 060201 – REG. NAZ. PRODUTTORI AEE ITO802000000988 – REG. NAZ. PILE ITO9060P00000457



TECHNICAL DATA

FEATURE	U.M	VALUE
SOUND POWER LEVEL (INDOOR)	DB(A)	65
MADE IN		CINA
FREON CHARGE	T CO2 EQ.	0,0009
AVAILABLE COLOURS		BIANCO
RATED COOLING POWER INPUT	KW	1,340
RATED HEATING POWER INPUT	KW	1,130
MAX COOLING CAPACITY (35°C D.B.; 80% R.H.)	BTU/H	13000
RATED COOLING CAPACITY	KW	3,5
ENERGY LABEL CLASS – COOLING		A
RATED ENERGY EFFICIENCY RATIO		2,6
HOURLY ENERGY CONSUMPTION – COOLING	KWH/60 MIN	1,3
MAX HEAT CAPACITY (7°C B.S.; 80% U.R.)	BTU/H	13000
RATED HEATING CAPACITY	KW	3,5
ENERGY LABEL CLASS – HEATING		A++
RATED COP		3,1
HOURLY ENERGY CONSUMPTION – HEATING	KWH/60 MIN	1,1
STANDBY MODE POWER CONSUMPTION	W	0,5
LOW. AIR FLOW	M3/H	280
MID. AIR FLOW	M3/H	330
MAX. AIR FLOW	M3/H	380
MAX. DEHUMIDIFICATION	L/H	1,79
FAN SPEED		BASSA-MEDIA-ALTA-AUTO
SOUND PRESSURE MIN.	DB(A)	49

FEATURE	U.M	VALUE
SOUND PRESSURE MED.	DB(A)	51
SOUND PRESSURE MAX.	DB(A)	53
POWER SUPPLY	V/PH/HZ	220-240/1/50
FREON TYPE		R290
FREON GWP	KG CO2 EQ.	3
FREON CHARGE	KG	0,3
FLEXIBLE HOSE DIAM	MM	142-130
FLEXIBLE HOSE LENGHT	M	1,5
NET WEIGHT OF THE UNIT	KG	36
NET HEIGHT OF THE UNIT	MM	835
NET WIDTH OF THE UNIT	MM	405
NET DEPTH OF THE UNIT	MM	385

ARGOCLIMA S.P.A.

SEDE LEGALE, VIA ALFENO VARO, 35 - 25020 ALFIANELLO (BS) - ITALY - TEL: +39 0331755111 - FAX: +39 0331755501
 CAP. SOCIALE: 13.416.000 EURO I.V. - P. IVA N. 03258640964 - COD.IDENT.INTRACOM ITO3258640964 - R.E.A. BS-520586
 ECOPEP 060401 - RIDOMUS 060201 - REG. NAZ. PRODUTTORI AEE ITO8020000000988 - REG. NAZ. PILE ITO9060P00000457